



EAST ELEVATION

PERMITTED UNPROTECTED AREA:
AREA OF EXPOSED BUILDING FACE 1232 s.t. @ 7'-3" L.D.
UNPROTECTED OPENINGS ALLOWED (USE OF 1232) = 98.56 s.t.
EXISTING UNPROTECTED OPENINGS = 97.89 s.t.

No. DATE: REVISION ISSUED BY:

THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN, AND HAS THE QUALIFICATIONS AND MEETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER

H. Howard Taylor

Q.I. BCIN 32329 R.I. BCIN 33817
G.B.H. Architectural Services
40 Kentish Cres.
Scarborough, Ont. M1S 2Z4 Ph: 416-833-3834

Client:
PROPOSED ADDITION/RENOVATION/DEMOLITION
AT BASEMENT-WALK-OUT
RE-ENTRY/RE-ENTRY/RE-ENTRY
Ajax, Ontario

Drawing Title:
- EAST ELEVATION

Scale: 1/4" = 1'-0" Drawn by: G.B.H. Date: JUNE, '18 Dwg No.: A-04